

Trade name : Revision date : Print date : Americol Carshampoo 19-10-2020 23-12-2020

Version (Revision) :

1.1 Product identifier Americol Carshampoo 1.2 Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses** PC 35 - Washing and cleaning products Sectors of use [SU] Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Process categories [PROC] PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC 11 - Non industrial spraying PROC 19 - Manual activities involving hand contact Environmental release categories [ERC] ERC 8a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) Uses advised against This product should not be used for purposes other than the applications referred to above. **1.3** Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) Americol BV Street : Sluispolderweg 33 Postal code/city: 1505 HJ Zaandam Telephone: +31 (0)75-631 32 44 Information contact : Dept. Safety, Health and Environment Website : www.americol.nl E-mail (competent person): info@americol.nl **1.4 Emergency telephone number** National Poisons Information Service (NPIS) Email: director.birmingham.unit@npis.org Website: http://www.npis.org/ **SECTION 2: Hazards identification**

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP]

Skin Irrit. 2 ; H315 - Skin corrosion/irritation : Category 2 ; Causes skin irritation. Eye Dam. 1 ; H318 - Serious eye damage/eye irritation : Category 1 ; Causes serious eye damage.

2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms





Trade name :Americol CarshampooRevision date :19-10-2020Print date :23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

Hazard components for labelling

BENZENESULFONIC A	CID, C10-C13-ALKYL DERIVS., SODIUM-SALT ; CAS No. : 68411-30-3
COCONUT OIL FATTY	ACID DEA ; CAS No. : 68155-07-7
Hazard statements	
H318	Causes serious eye damage.
H315	Causes skin irritation.
Precautionary state	ements
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P310	Immediately call a POISON CENTER/doctor/
P321	Specific treatment (see on this label).
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352	IF ON SKIN: Wash with plenty of water/
P362+P364	Take off contaminated clothing and wash it before reuse.
Remark	

The product is classified and labelled according to EC directives or corresponding national laws.

2.3 Other hazards

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

2.4 Additional information

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

BENZENESULFONIC ACID, C10-C13-ALKYL DERIVS., SODIUM-SALT ; REACH No. : 01-2119489428-22 ; EC No. : 270-115-0; CAS No. : 68411-30-3 ≥ 3 - < 10 % Weight fraction : Classification 1272/2008 [CLP] : Eye Dam. 1; H318 Acute Tox. 4; H302 Skin Irrit. 2; H315 Aquatic Chronic 3; H412 ALKYLETHERSULFAAT, NA-ZOUT ; REACH No. : 01-2119488639-16 ; EC No. : 500-234-8; CAS No. : 68891-38-3 Weight fraction : ≥ 2,5 - < 10 % Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 Aquatic Chronic 3 ; H412 COCONUT OIL FATTY ACID DEA ; REACH No. : 01-2119490100-53 ; EC No. : 931-329-6; CAS No. : 68155-07-7 Weight fraction : ≥ 1 - < 2,5 % Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Skin Irrit. 2 ; H315 Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

No special measures are necessary.

In case of skin contact

Wash immediately with: Water and soap Change contaminated, saturated clothing. Wash contaminated clothing prior



Trade name : Revision date : Print date : Americol Carshampoo 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

to re-use.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Call a physician in any case! Do NOT induce vomiting. If major quantity of dust is swallowed or inhaled, immediately drink: Water

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: No known symptoms to date. Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water mist Foam Extinguishing powder Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture Hazardous combustion products

Do not breathe gas/fumes/vapour/spray. Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel

Protective equipment

Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Emergency procedures

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Suitable material for taking up: Sand Absorbing material, organic

6.4 Reference to other sections

See protective measures under point 7 and 8.

Page : 3 / 9



Trade name : Revision date : Print date : Americol Carshampoo 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

SECTION 7: Handling and storage



7.1 Precautions for safe handling

Protective measures

Measures to prevent aerosol and dust generation During filling, metering and sampling should be used if possible: Closed devices

During mining, metering and sampling should be used it possible. Closed devices

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep/Store only in original container. Suitable container/equipment material: Stainless steel Polyethylene (PE) Unsuitable container/equipment material: Butyl caoutchouc (butyl rubber)

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL-/PNEC-values

DNEL/DMEL	
COCONUT OIL FATTY ACID DEA ; CA	S No. : 68155-07-7
Limit value type :	DNEL Consumer (local)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	0,056 mg/cm ²
Limit value type :	DNEL Consumer (systemic)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	2,5 mg/kg
Limit value type :	DNEL Consumer (systemic)
Exposure route :	Inhalation
Exposure frequency :	Long-term
Limit value :	21,73 mg/m ³
Limit value type :	DNEL Consumer (systemic)
Exposure route :	Oral
Exposure frequency :	Long-term
Limit value :	6,25 mg/kg
Limit value type :	DNEL worker (local)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	0,09 mg/cm ²
Limit value type :	DNEL worker (systemic)
Exposure route :	Dermal
Exposure frequency :	Long-term
Limit value :	4,16 mg/kg
Limit value type :	DNEL worker (systemic)
Exposure route :	Inhalation
Exposure frequency :	Long-term



Trade name : Revision date : Print date : Americol Carshampoo 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

Limit value :	73,4 mg/m ³
PNEC	
COCONUT OIL FATTY ACID DEA ; CA	AS No. : 68155-07-7
Limit value type :	PNEC (Aquatic, freshwater)
Exposure route :	Water (Including sewage plant)
Limit value :	2,4 µg/l
Limit value type :	PNEC (Aquatic, marine water)
Exposure route :	Water (Including sewage plant)
Limit value :	0,24 μg/l
Limit value type :	PNEC (Sediment, freshwater)
Exposure route :	Soil
Limit value :	14,5 µg/kg
Limit value type :	PNEC (Soil)
Exposure route :	Soil
Limit value :	6,48 µg/kg
Limit value type :	PNEC (Sewage treatment plant)
Exposure route :	Water (Including sewage plant)
Limit value :	830 mg/l

8.2 Exposure controls

Personal protection equipment



Eye/face protection

Eye glasses with side protection

Skin protection

Hand protection Suitable gloves type EN ISO 374 Butyl caoutchouc (butyl rubber) NBR (Nitrile rubber) Required properties liquid-tight. Breakthrough time (maximum wearing time) Permeation time (maximum wear time) Thickness of the glove material Nitril: 0,12 mm Butyl: 0,50 mm

General information

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour : green

Odour : Perfume

Safety characteristics

Physical state :			Liquid	
Melting point/freezing point :			not applicable	
Initial boiling point and boiling range :	(1013 hPa)	>	100	°C
Decomposition temperature :			No data available	
Freezing point :			No data available	
Flash point :			not applicable	
Auto-ignition temperature :			No data available	
Lower explosion limit :				Vol-%
Upper explosion limit :				Vol-%



Print e	Trade name :Americol CaRevision date :19-10-2020Principle :20-10-2020		shampoo	Version (Revision) :		ision) :	3.1.0 (3.0.0)
	date :	23-12-2020					
	Vapour Pressure :	1	(20 °C)		No data available		
	Evaporation rate ((n-butylacetate =	=		No data available		
	1) : Density :		(20 °C)	approx.	1,04	g/cm ³	
	Water solubility :		(20°C)	approxi	100	Wt %	
	рН :				9		
	Partition coefficie	ent (n-		<	3		
	octanol/water) :		(20.00)			Da Xa	
	Viscosity : Vapour density (a	ir – 1) ·	(20 ℃) (101 kPa)		1480 No data available	mPa*s	
	Vapodi density (a Valt onder Deterg Verordening (EG) J/N	entia			yes		
9.2	Other informat	tion					
	None						
FC	FION 10: Stabi	lity and read	rtivity				
		iity and read					
L0.1	Reactivity						
	not applicable						
10.2	Chemical stabi	-					
	Stable under norma	al conditions of u	se				
L0.3	Possibility of h	nazardous re	eactions				
	No information ava	ilable.					
L0.4	Conditions to a	avoid					
	No information ava	ilable.					
10.5	Incompatible I Strong oxidizers	materials					
	Strong oxidizers Hazardous dec No information ava	composition	products				
10.6	Strong oxidizers Hazardous dec	composition ilable.	-				
10.6 SEC	Strong oxidizers Hazardous dec No information ava	composition ilable. ological info	ormation		_		_
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information or	composition ^{ilable.} ological info n toxicologi	ormation	_		_	
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity	composition ilable. ological info n toxicologica	ormation				-
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity Acute oral toxic	composition ilable. ological info n toxicologica	ormation cal effects				
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity	composition ilable. ological info n toxicologica	cal effects	ENESULFONIC AC	ID, C10-C13-ALKYL I	DERIVS., SODIU	IM-SALT ; CAS No.
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity Acute oral toxic Parameter :	composition ilable. ological info n toxicologio / ity	cal effects LD50 (BENZE 68411-30-3)	ENESULFONIC AC	ID, C10-C13-ALKYL I	DERIVS., SODIU	IM-SALT ; CAS No.
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity Acute oral toxic Parameter : Exposure route :	composition ilable. ological info n toxicologio / ity	Cal effects LD50 (BENZE 68411-30-3) Oral	ENESULFONIC AC	ID, C10-C13-ALKYL I	DERIVS., SODIL	M-SALT ; CAS No.
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity Acute oral toxic Parameter :	composition ilable. ological info n toxicologio / ity	Cal effects LD50 (BENZE 68411-30-3) Oral Rat		ID, C10-C13-ALKYL	DERIVS., SODIL	M-SALT ; CAS No.
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity Acute oral toxic Parameter : Exposure route : Species : Effective dose :	composition ilable. ological info n toxicologio / ity	Cal effects LD50 (BENZE 68411-30-3) Oral		ID, C10-C13-ALKYL I	DERIVS., SODIL	M-SALT ; CAS No.
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity Acute oral toxic Parameter : Exposure route : Species : Effective dose : Corrosion	composition ilable. ological info n toxicologio ity	Cal effects LD50 (BENZE 68411-30-3) Oral Rat		ID, C10-C13-ALKYL I	DERIVS., SODIU	IM-SALT ; CAS No.
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity Acute oral toxic Parameter : Exposure route : Species : Effective dose : Corrosion Skin corrosion/fit	composition ilable. ological info n toxicologio ity	Cal effects LD50 (BENZE 68411-30-3) Oral Rat		ID, C10-C13-ALKYL I	DERIVS., SODIU	IM-SALT ; CAS No.
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxica Information of Acute toxicity Acute oral toxic Parameter : Exposure route : Species : Effective dose : Corrosion Skin corrosion/i corrosive.	composition ilable. ological info n toxicologio r ity : irritation	cal effects LD50 (BENZE 68411-30-3) Oral Rat 300 - 2000 mg		ID, C10-C13-ALKYL I	DERIVS., SODIU	IM-SALT ; CAS No.
10.6 SEC	Strong oxidizers Hazardous dec No information ava TION 11: Toxic Information on Acute toxicity Acute oral toxic Parameter : Exposure route : Species : Effective dose : Corrosion Skin corrosion/i corrosive. Serious eye dan	composition ilable. ological info n toxicologio r ity : irritation	cal effects LD50 (BENZE 68411-30-3) Oral Rat 300 - 2000 mg		ID, C10-C13-ALKYL I	DERIVS., SODIU	IM-SALT ; CAS No.
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxica Information of Acute toxicity Acute oral toxic Parameter : Exposure route : Species : Effective dose : Corrosion Skin corrosion/i corrosive.	composition ilable. ological info n toxicologic ; ; irritation nage/eye irrita piratory tract	cal effects LD50 (BENZE 68411-30-3) Oral Rat 300 - 2000 mg		ID, C10-C13-ALKYL I	DERIVS., SODIL	M-SALT ; CAS No.
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity Acute oral toxic Parameter : Exposure route : Species : Effective dose : Corrosion Skin corrosion/i corrosive. Serious eye dan corrosive. Irritation to res No data available CMR effects (composition ilable. ological info n toxicologic rity irritation nage/eye irrita piratory tract carcinogeni	cal effects LD50 (BENZE 68411-30-3) Oral Rat 300 - 2000 mg	g/kg			
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity Acute oral toxic Parameter : Exposure route : Species : Effective dose : Corrosion Skin corrosion/i corrosive. Serious eye dan corrosive. Irritation to res No data available CMR effects (Carcinogenicity	composition ilable. ological info n toxicologic ity irritation nage/eye irritat piratory tract carcinogeni	cal effects LD50 (BENZE 68411-30-3) Oral Rat 300 - 2000 mg	g/kg enicity and		productio	n)
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity Acute oral toxic Parameter : Exposure route : Species : Effective dose : Corrosion Skin corrosion/i corrosive. Serious eye dan corrosive. Irritation to res No data available CMR effects (Carcinogenicity	composition ilable. ological info n toxicologic ity irritation nage/eye irritat piratory tract carcinogeni	cal effects LD50 (BENZE 68411-30-3) Oral Rat 300 - 2000 mg tion city, mutag	g/kg enicity and ssification as CM	toxicity for re	productio	n)
10.6 SEC	Strong oxidizers Hazardous dec No information ava FION 11: Toxic Information of Acute toxicity Acute oral toxic Parameter : Exposure route : Species : Effective dose : Corrosion Skin corrosion/i corrosive. Serious eye dan corrosive. Irritation to res No data available CMR effects (Carcinogenicity	composition ilable. ological info n toxicologic ity irritation nage/eye irritat piratory tract carcinogeni	cal effects LD50 (BENZE 68411-30-3) Oral Rat 300 - 2000 mg tion city, mutag	g/kg enicity and	toxicity for re	productio	n)



Trade name : Revision date : Print date : Americol Carshampoo 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

STOT-single exposure

not applicable

STOT-repeated exposure

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc.

SECTION 12: Ecological information

12.1 Toxicity

harmless to aquatic organisms up to the tested concentration

- **12.2 Persistence and degradability** Biodegradable.
- 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects None

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be reused following proper cleaning. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

- 14.2 UN proper shipping name No dangerous good in sense of these transport regulations.
- 14.3 Transport hazard class(es) No dangerous good in sense of these transport regulations.

14.4 Packing group No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not applicable

Page : 7 / 9



Trade name : Revision date : Print date : Americol Carshampoo 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Use restriction according to REACH annex XVII, no.: 3

Other regulations (EU)

Labelling for contents according to regulation (EC) No. 648/2004

anionic surfactants	5 - < 15	%
non-ionic surfactants	< 5	%
2,4-Imidazolidinedione,(hydroxymethyl)-5,5-dimethyl- (9CI)	< 5	%
Preservative	< 5	%
D-Limonene	< 5	%
perfumes	< 5	%

15.2 Chemical safety assessment

Chemical safety assessments for substances in this preparation were not carried out.

SECTION 16: Other information

16.1 Indication of changes

01. Sectors of use [SU] · 15. Restrictions on use

16.2 Abbreviations and acronyms

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road ASTM = American Society of Testing and Materials (US) CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society) DNEL = Derived No-Effect Level DT50 = Time for 50% loss; half-life EbC50 = Median effective concentration (biomass, e.g. of algae) EC50 = Median effective concentrationEINECS = European Inventory of Existing Commercial Chemical Substan ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide) ErC50 = Median effective concentration (growth rate, e.g. of algae) EWC = European Waste Catalogue IATA = International Air Transport Association IC50 = Concentration that produces 50% inhibition IMDG = International Maritime Dangerous Goods Code IMO = International Maritime Organization LC50 = Concentration required to kill 50% of test organismsLD50 = Dose required to kill 50% of test organisms LEL = Lower Explosive Limit/Lower Explosion Limit LOAEL = Lowest observed adverse effect level MRL = Maximum Residue Limit NOAEL = No Observed Adverse Effect Level NOEC = No observed effect concentration NOEL = No Observable Effect Level OEL = Occupational Exposure Limits PBT = Persistent, Bioaccumulative or Toxic PNEC = Previsible Non Effect Concentration STEL = Short-Term Exposure Limit TWA = Time-Weighted Average



Trade name : Revision date : Print date :

Americol Carshampoo 19-10-2020 23-12-2020

Version (Revision) :

3.1.0 (3.0.0)

vPvB = Very Persistent and Very Bioacccumulative

16.3 Key literature references and sources for data None

$_{16.4}$ Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Indeling van de stof of het mengsel: classificatie conform Verordening (EG) Nr. 1272/2008 [CLP] door middel van calculatiemethode via software.

16.5 Relevant H- and EUH-phrases (Number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

16.6 Training advice

None

16.7 Additional information

Article No.: 821

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.