



## Pockets system Ultrasafe flat mop

Microfibre and polypropylene flat mop with polyester support for R10/11 non-slip surfaces



### Technical information

code	notes	cm (comm. sizes)	C	pcs	kg	m <sup>3</sup>
<b>0000H110R</b>		↘ 40 ↘ 14		25	2,88	0,027
<b>0000H110B</b>		↘ 40 ↘ 14		25	2,88	0,027

### SYSTEM

Flat mopping system with pockets, to be used either pre-soaked, soaked on demand with soaking station or with handles with tank  
Ideal for washing of non-slip or porous surfaces, suitable to remove ingrained dirt

### GREEN BOX



EU Ecolabel Certificate



#### DECITEX of the fibres

Microfibre: 0,16 DTX - Polypropylene: 37,03 DTX



**Efficient:** microfibre requires less chemical to remove dirt and bacteria, reducing water and chemical consumption



Ultrasafe pockets system mop is classified as having a low release of microplastics during washing (test conducted according to DIN EN ISO 4484-1 and 4484-2 by a specialised external laboratory)



## Advantages

- **Long durability:** pocket mops last twice as much as strap tape mops
- **Easy:** mop changing is easy and quickly
- **Effective:** the abrasive action of polypropylene removes easily dirt
- **Highest hygiene:** microfibre penetrates into the microporosity of the floor, collecting dirt and more than 95% of bacteria
- **Very low friction:** glides effortlessly on non-slip surfaces
- **Touch-free:** the detaching system avoids any contact with the dirt

## Material

Yarn: 50% polypropylene, 40% polyester, 10% polyamide - Support: polyester

## Warnings

Use alkaline detergents with a pH below 11

## Washing conditions

### Guidelines for proper fibre maintenance

Follow the washing instructions (temperatures and dosage) on the laundry detergent packaging  
Perform a pre-wash in cold water without laundry detergent to remove any residual product used during cleaning operations  
Recommended use of professional textile laundry detergent  
Do not use fabric softener  
Do not use laundry detergents with Ph > 11  
The use of laundry nets is recommended to speed up and make laundry operations more hygienic

## Specific mop instructions



Washing temperature max 90° C, recommended 60°




Bleaching possible, do not use chlorine



Tumble dry or in a dryer possible with low program



### Related products



Wet Disinfection frame



Blik frame



Action Pro Tec



Tec wringer



BIO Blik Basic