



56863

Bucket, 325 mm, Blue



This award winning bucket is ideal for transporting cleaning chemicals as well as hot or cold ingredients. It has a drip-free spout, hand grip that is raised from the base, sturdy stainless steel handle and is calibrated for a variety of measuring units.

The flat side prevents spillage and it has its own wall bracket, 16200 for storage.

CLEANLINE BV Nijverheidslaan 8 - B-8560 Wevelgem T +32 (0)56 43 70 70 - E info@cleanline.be www.cleanline.be



Technical Data

Volume 12 Litre(s) Material Polypropylene Stainless Steel Complies with (EC) 1935/2004 on food contact materials1 Yes Produced according to EU Regulation 2023/2006/EC of Good Yes Banufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Weets the REACH Regulation (EC) No. 1907/2006 Yes Use of Phthalates No Is Halal compliant Yes Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 75 Pcs Quantity Per Layer (Pallet) 18 Pcs. Box Length 740 mm Box Vidth 320 mm Length 325 mm Width 330 mm Gross Weight 1.09 kg Net Weight 1 kg Cubik metre 0,0354 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (non food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature -20 °C Max. drying temperature -20 °C Max. npt-value in usage concentration 2 pH	Item Number	56863
Stainless Steel Stainless Steel Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of Phthalates No Is Halal compliant Yes Box Quantity 6 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 75 Pcs Quantity Per Layer (Pallet) 18 Pcs. Box Length 740 mm Box Width 340 mm Box Height 320 mm Length 325 mm Width 330 mm Gross Weight 1,09 kg Net Weight 1 kg Cubik metre 0,0354 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Ioshwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature -20 °C Max. drying tempe	Volume	12 Litre(s)
Produced according to EU Regulation 2023/2006/EC of GoodYesManufacturing PracticeYesFDA compliant raw material (CFR 21)YesMeets the REACH Regulation (EC) No. 1907/2006YesUse of PhthalatesNoIs Halal compliantYesBox Quantity6 Pcs.Quantity per Pallet (80 x 120 x 200 cm)75 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length740 mmBox Width340 mmBox Height320 mmLength330 mmHeight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature-20 °CMax. drying temperature-20 °CMin. usage concentration2 pH	Material	
Manufacturing PracticeFDA compliant raw material (CFR 21)YesMeets the REACH Regulation (EC) No. 1907/2006YesUse of PhthalatesNoIs Halal compliantYesBox Quantity6 Pcs.Quantity per Pallet (80 x 120 x 200 cm)75 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length740 mmBox Width340 mmBox Height320 mmLength325 mmWidth330 mmHeight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (non food contact)100 °CMax usage temperature-20 °CMax. drying temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006YesUse of PhthalatesNoIs Halal compliantYesBox Quantity6 Pcs.Quantity per Pallet (80 x 120 x 200 cm)75 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length740 mmBox Width340 mmBox Height320 mmLength325 mmWidth330 mmGross Weight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH		Yes
Use of PhthalatesNoIs Halal compliantYesBox Quantity6 Pcs.Quantity per Pallet (80 x 120 x 200 cm)75 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length740 mmBox Width340 mmBox Height325 mmVidth330 mmHeight1,09 kgNet Weight1 kgCubic metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	FDA compliant raw material (CFR 21)	Yes
Is Halal compliantYesBox Quantity6 Pcs.Quantity per Pallet (80 x 120 x 200 cm)75 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length740 mmBox Width340 mmBox Height320 mmLength325 mmWidth330 mmHeight330 mmGross Weight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 ° CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature-20 °CMax. drying temperature120 °CMin. usage concentration2 pH	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity6 Pcs.Quantity per Pallet (80 x 120 x 200 cm)75 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length740 mmBox Width340 mmBox Height320 mmLength325 mmWidth330 mmHeight330 mmGross Weight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Use of Phthalates	No
Quantity per Pallet (80 x 120 x 200 cm)75 PcsQuantity Per Layer (Pallet)18 Pcs.Box Length740 mmBox Width340 mmBox Width320 mmLength325 mmWidth330 mmHeight330 mmGross Weight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Is Halal compliant	Yes
Quantity Per Layer (Pallet)18 Pcs.Box Length740 mmBox Width340 mmBox Height320 mmLength325 mmWidth330 mmHeight330 mmGross Weight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Quantity	6 Pcs.
Box Length740 mmBox Width340 mmBox Height320 mmLength325 mmWidth330 mmHeight330 mmGross Weight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Quantity per Pallet (80 x 120 x 200 cm)	75 Pcs
Box Width340 mmBox Height320 mmLength325 mmWidth330 mmHeight330 mmGross Weight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax. usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	18 Pcs.
Box Height320 mmLength325 mmWidth330 mmHeight330 mmGross Weight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Length	740 mm
Length325 mmWidth330 mmHeight330 mmGross Weight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Width	340 mm
Width330 mmHeight330 mmGross Weight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Box Height	320 mm
Height330 mmGross Weight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Length	325 mm
Gross Weight1,09 kgNet Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Width	330 mm
Net Weight1 kgCubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Height	330 mm
Cubik metre0,0354 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Gross Weight	1,09 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Net Weight	1 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Cubik metre	0,0354 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pH	Min. usage temperature	-20 °C
	Max. drying temperature	120 °C
Max. pH-value in Usage Concentration10,5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10,5 pH





Gtin-13 Number	5705020568633
GTIN-14 Number (Box quantity)	15705020568630
Commodity Code	39233090
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

1. See Declaration of Compliance for further details on food conta

CLEANLINE BV Nijverheidslaan 8 - B-8560 Wevelgem T +32 (0)56 43 70 70 - E info@cleanline.be www.cleanline.be

