

2991Q5

## Aluminium Handle, waterfed, Ø31 mm, 1540 mm, White



A water-fed handle with quick-release coupling and a comfortable grip, this product has been ergonomically designed to improve the working position of the user. Can be used with any water-fed product in the Vikan range, including the condensation squeegee (7716x). Maximum pressure, 6 bars. Maximum water temperature, 50 °C. Do not use with acid or chlorine.

# Technical Data

<b>Item Number</b>	2991Q5
<b>Material</b>	Anodised Aluminium Polypropylene Chromium-plated brass
<b>Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice</b>	Yes
<b>FDA compliant raw material (CFR 21)</b>	Yes
<b>Meets the REACH Regulation (EC) No. 1907/2006</b>	Yes **
<b>Use of Phthalates</b>	No
<b>Is Halal compliant</b>	Yes
<b>Box Quantity</b>	10 Pcs.
<b>Quantity per Pallet (80 x 120 x 200 cm)</b>	960 Pcs
<b>Quantity Per Layer (Pallet)</b>	40 Pcs.
<b>Box Length</b>	1590 mm
<b>Box Width</b>	170 mm
<b>Box Height</b>	75 mm
<b>Product Diameter</b>	31 mm
<b>Length</b>	1540 mm
<b>Width</b>	31 mm
<b>Height</b>	31 mm
<b>Gross Weight</b>	0,62 kg
<b>Net Weight</b>	0,59 kg
<b>Cubik metre</b>	0,0015 M3
<b>Recommended sterilisation temperature (Autoclave)</b>	121 °C
<b>Max usage temperature (non food contact)</b>	80 °C
<b>Min. usage temperature<sup>3</sup></b>	-20 °C
<b>Min. pH-value in usage concentration</b>	2 pH
<b>Max. pH-value in Usage Concentration</b>	8 pH
<b>Gtin-13 Number</b>	5705020299100
<b>GTIN-14 Number (Box quantity)</b>	15705020299107
<b>Commodity Code</b>	76082020
<b>Country of origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead.

3. Do not store the product below 0° Celsius.