

2991Q5

Aluminium Handle, waterfed, Ø31 mm, 1540 mm, White



A water-fed handle with quick-release coupling and a comfortable grip, this product has been ergonomically designed to improve the working position of the user. Can be used with any water-fed product in the Vikan range, including the condensation squeegee (7716x). Maximum pressure, 6 bars. Maximum water temperature, 50 °C. Do not use with acid or chlorine.

Technical Data

Item Number	2991Q5
Material	Anodised Aluminium Polypropylene Chromium-plated brass
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
Use of Phthalates	No
Is Halal compliant	Yes
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs
Quantity Per Layer (Pallet)	40 Pcs.
Box Length	1590 mm
Box Width	170 mm
Box Height	75 mm
Product Diameter	31 mm
Length	1540 mm
Width	31 mm
Height	31 mm
Gross Weight	0,62 kg
Net Weight	0,59 kg
Cubik metre	0,0015 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)	80 °C
Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
Gtin-13 Number	5705020299100
GTIN-14 Number (Box quantity)	15705020299107
Commodity Code	76082020
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead.

3. Do not store the product below 0° Celsius.

CLEANLINE BV

Nijverheidslaan 8 - B-8560 Wevelgem

T +32 (0)56 43 70 70 - E info@cleanline.be

www.cleanline.be

