



31743

## Broom, 410 mm, Soft/hard, Blue





Designed for effective cleaning of food industry floors as well as in kitchens and restaurants, this Broom has firm front bristles that loosen stubborn dirt and heavier debris, while the softer rear bristles gather the finer particles.





## **Technical Data**

| Visible bristle length         60 mm           Material         Polyproylene Polypester Stainless Steel (AISI 304)           Complies with (EC) 1935/2004 on food contact materials*         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         480 Pcs           Quantity Per Layer (Pallet)         60 Pcs.           Length         410 mm           Width         90 mm           Height         120 mm           Not Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0138 kg           Weight cardboard (Recycling symbol "20" PAP)         0.162 kg           Tare total         0.03 kg           Gross Weight         0.56 kg           Cubik metre         0.004428 M3           Recommended sterilisation temperature (Autociave)         121  | Item Number   | 31743                              |
|--|---|------------------------------------|
| Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Cength Weight 10 Pcs. Length Weight 110 mm Width 110 mm Width 110 mm Width 110 mm Weight 110 mm Net Weight cardboard (Recycling symbol "20" PAP) 110 mm Net Weight 110 mm Net Wei | Visible bristle length  | 60 mm                              |
| Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  California Proposition 65 Compliant  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  Cuantity Per Layer (Pallet)   | Material  | Polyester<br>Stainless Steel (AISI |
| Manufacturing Practice         Yes           Compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10         Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         480         Pcs.           Quantity Per Layer (Pallet)         60         Pcs.           Length         410         mm           Width         90         mm           Height         120         mm           Net Weight         0.53         kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0162         kg           Weight cardboard (Recycling symbol "20" PAP)         0.0162         kg           Gross Weight         0.56         kg           Cubik metre         0.004428         M3           Recommended sterilisation temperature (Autoclave)         121         °C           Max. cleaning temperature (food contact)         80         °C           Max usage  | Complies with (EC) 1935/2004 on food contact materials <sup>1</sup> | Yes                                |
| Complies with UK 2019 No. 704 on food contact materials       Yes         Meets the REACH Regulation (EC) No. 1907/2006       Yes         California Proposition 65 Compliant       Yes         Use of phthalates and bisphenol A       No         Is Halal and Kosher compliant       Yes         Box Quantity       10 Pcs.         Quantity per Pallet (80 x 120 x 180-200 cm)       480 Pcs         Quantity Per Layer (Pallet)       60 Pcs.         Length       410 mm         Width       90 mm         Height       120 mm         Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)       0.0162 kg         Weight cardboard (Recycling symbol "20" PAP)       0.0162 kg         Tare total       0.03 kg         Gross Weight       0.56 kg         Cubik metre       0.004428 M3         Recommended sterilisation temperature (Autoclave)       121 °C         Max. cleaning temperature (Dishwasher)       93 °C         Max usage temperature (food contact)       80 °C         Max usage temperatures       20 °C         Max. drying temperature       100 °C         Min. pH-value in usage concentration       2 pH         Max. pH-value in Usage Concentration       10.5 pH         Gtin-13 Number <t< td=""><td></td><td>Yes</td></t<>  |   | Yes                                |
| Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Net Weight 0.53 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 5705020317439   | FDA compliant raw material (CFR 21)                                 | Yes                                |
| California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         480 Pcs           Quantity Per Layer (Pallet)         60 Pcs.           Length         410 mm           Width         90 mm           Height         120 mm           Net Weight         0.53 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0162 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0162 kg           Tare total         0.03 kg           Gross Weight         0.56 kg           Cubik metre         0.004428 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature         20 °C           Max. drying temperature         20 °C           Min. ph-value in usage concentration         2 pH           Max. ph-value in Usage Concentration         10.5 pH   | Complies with UK 2019 No. 704 on food contact materials             | Yes                                |
| Use of phthalates and bisphenol A Is Halal and Kosher compliant  Box Quantity  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Ength  410 mm  Width  90 mm  Height  120 mm  Net Weight  0.53 kg  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  0.0162 kg  Tare total  0.03 kg  Gross Weight  0.56 kg  Cubik metre  0.004428 M3  Recommended sterilisation temperature (Autoclave)  121 °C  Max. cleaning temperature (Dishwasher)  93 °C  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  100 °C  Min. usage temperature  100 °C  Min. usage temperature  100 °C  Min. pH-value in usage concentration  10.5 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  | Meets the REACH Regulation (EC) No. 1907/2006                       | Yes                                |
| S Halal and Kosher compliant   Yes     Box Quantity   10   Pcs.     Quantity per Pallet (80 x 120 x 180-200 cm)   480   Pcs     Quantity Per Layer (Pallet)   60   Pcs.     Length   410   mm     Width   90   mm     Height   120   mm     Net Weight   0.53   kg     Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)     Weight cardboard (Recycling symbol "20" PAP)   0.0162   kg     Tare total   0.03   kg     Gross Weight   0.56   kg     Cubik metre   0.004428   M3     Recommended sterilisation temperature (Autoclave)   121   °C     Max. cleaning temperature (Dishwasher)   93   °C     Max usage temperature (food contact)   80   °C     Max usage temperature (non food contact)   100   °C     Min. usage temperature (non food contact)   100   °C     Min. usage temperature (non food contact)   100   °C     Min. pH-value in usage concentration   2   pH     Max. pH-value in Usage Concentration   10.5   pH     Gtin-13 Number   5705020317439  | California Proposition 65 Compliant                                 | Yes                                |
| Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         480 Pcs           Quantity Per Layer (Pallet)         60 Pcs.           Length         410 mm           Width         90 mm           Height         120 mm           Net Weight         0.53 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0138 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0162 kg           Tare total         0.03 kg           Gross Weight         0.56 kg           Cubik metre         0.004428 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020317439   | Use of phthalates and bisphenol A                                   | No                                 |
| Quantity per Pallet (80 x 120 x 180-200 cm)         480 Pcs           Quantity Per Layer (Pallet)         60 Pcs.           Length         410 mm           Width         90 mm           Height         120 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0138 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0162 kg           Tare total         0.03 kg           Gross Weight         0.56 kg           Cubik metre         0.004428 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020317439   | Is Halal and Kosher compliant                                       | Yes                                |
| Quantity Per Layer (Pallet)60 Pcs.Length410 mmWidth90 mmHeight120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubik metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317439   | Box Quantity  | 10 Pcs.                            |
| Length         410 mm           Width         90 mm           Height         120 mm           Net Weight         0.53 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0138 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0162 kg           Tare total         0.03 kg           Gross Weight         0.56 kg           Cubik metre         0.004428 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020317439  | Quantity per Pallet (80 x 120 x 180-200 cm)                         | 480 Pcs                            |
| Width 90 mm Height 120 mm Net Weight 0.53 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317439   | Quantity Per Layer (Pallet)   | 60 Pcs.                            |
| Height120 mmNet Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubik metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317439   | Length  | 410 mm                             |
| Net Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubik metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317439  | Width   | 90 mm                              |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard (Recycling symbol "20" PAP)0.0162 kgTare total0.03 kgGross Weight0.56 kgCubik metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317439  | Height  | 120 mm                             |
| Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubik metre  0.004428 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  100 °C  Min. usage temperature  100 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number   | Net Weight  | 0.53 kg                            |
| Tare total 0.03 kg  Gross Weight 0.56 kg  Cubik metre 0.004428 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature 3 -20 °C  Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020317439   |   | 0.0138 kg                          |
| Gross Weight 0.56 kg  Cubik metre 0.004428 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature (non food contact) 100 °C  Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020317439  | Weight cardboard (Recycling symbol "20" PAP)                        | 0.0162 kg                          |
| Cubik metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317439  | Tare total  | 0.03 kg                            |
| Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317439  | Gross Weight  | 0.56 kg                            |
| Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317439   | Cubik metre   | 0.004428 M3                        |
| Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317439  | Recommended sterilisation temperature (Autoclave)                   | 121 °C                             |
| Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317439   | Max. cleaning temperature (Dishwasher)                              | 93 °C                              |
| Min. usage temperature <sup>3</sup> Max. drying temperature  Min. pH-value in usage concentration  pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  5705020317439   | Max usage temperature (food contact)                                | 80 °C                              |
| Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317439  | Max usage temperature (non food contact)                            | 100 °C                             |
| Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020317439  | Min. usage temperature <sup>3</sup>                                 | -20 °C                             |
| Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317439  | Max. drying temperature   | 100 °C                             |
| <b>Gtin-13 Number</b> 5705020317439  | Min. pH-value in usage concentration                                | 2 pH                               |
|  | Max. pH-value in Usage Concentration                                | 10.5 pH                            |
| <b>GTIN-14 Number (Box quantity)</b> 15705020317436  | Gtin-13 Number  | 5705020317439                      |
|  | GTIN-14 Number (Box quantity)                                       | 15705020317436                     |

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.

