



## 31733

## UST Broom, 400 mm, Medium, Blue



This ULTRA SAFE TECHNOLOGY (UST) Broom comes with angled Filament Security Units for effective sweeping of dry and wet surfaces in high-risk areas. All UST brooms and brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.







## **Technical Data**

Visible bristle length         54 mm           Material         Polysestre Polypropylene           Complies with (EC) 1935/2004 on food contact materials*         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           EDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Pactor Pending/Patent No.         PA201270087, PA201270087, PA201270088, PA201270087, PA2012700	Item Number	31733
Complies with (EC) 1935/2004 on food contact materials¹         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Patent Pending/Patent No.         PA201270088           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         410 mm           Box Width         290 mm           Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Weight bag         0,003 kg           Weight cardboard         0,031 kg           Gross Weight         0,44 kg           Gross Weight         0,44 kg           Cubik metre         0,001 g M3           Max usage temperature (non food contact)         80 °C           Max. cleaning temperature (Dishwasher)	Visible bristle length	54 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Pacent Pending/Patent No.  Racoll 270087, PA201270088  Box Quantity  Box Quantity  Cuantity per Pallet (80 x 120 x 200 cm)  Box Length  Box Height  Cungth  Box Height  Cungth  Cungth	Material	Glass reinforced
Manufacturing Practice         FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Patent Pending/Patent No.         PA201270088           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         410 mm           Box Width         290 mm           Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Net Weight bag         0,0063 kg           Weight cardboard         0,0312 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Max. cleaning temperature         0,00 °C           Max. drying temperature         100 °C           Min. usage temperature         20 °C <th>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></th> <th>Yes</th>	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Patent Pending/Patent No.         PA201270087, PA201270088           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         410 mm           Box Width         290 mm           Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Net Weight bag         0,0063 kg           Weight cardboard         0,0312 kg           Tare total         0,0375 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Max. cleaning temperature         (Autoclause)         121 °C           Max. cleaning temperature         (Bishwasher)         93 °C           Max. ph-value in Usage Concentration		Yes
Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Patent Pending/Patent No.         PA201270087, PA201270088           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         410 mm           Box Width         290 mm           Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Net Weight bag         0,063 kg           Weight cardboard         0,0312 kg           Tare total         0,0375 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. drying temperature         100 °C           Min. usage temperature in Usage Concentration         10,5 pH	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Patent Pending/Patent No.         PA201270087, PA201270088           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         410 mm           Box Width         290 mm           Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Net Weight bag         0,063 kg           Weight cardboard         0,0312 kg           Tare total         0,0375 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. drying temperature³         -20 °C           Max. pH-value in Usage Concentration         10,5 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant         Yes           Patent Pending/Patent No.         PA201270087, PA201270088           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         410 mm           Box Width         290 mm           Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Net Weight bag         0,0063 kg           Weight cardboard         0,0012 kg           Tare total         0,0312 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. drying temperature*         20 °C           Max. drying temperature*         20 °C           Max. pH-value in Usage Concentration         10,5 pH	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Patent Pending/Patent No.         PA201270087, PA201270088           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         410 mm           Box Width         290 mm           Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Net Weight bag         0,0063 kg           Weight cardboard         0,0312 kg           Tare total         0,0312 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. drying temperature*         20 °C           Min. usage temperature*         20 °C           Max. ph-value in Usage Concentration         10.5 pH	Use of phthalates and bisphenol A	No
Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         1 Pcs.           Box Length         410 mm           Box Width         290 mm           Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Net Weight bag         0,0063 kg           Weight cardboard         0,0312 kg           Tare total         0,0375 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. drying temperature         100 °C           Min. usage temperature³         -20 °C           Max. pH-value in Usage Concentration         10,5 pH	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)         1 Pcs.           Box Length         410 mm           Box Width         290 mm           Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Net Weight bag         0,0063 kg           Weight cardboard         0,0312 kg           Tare total         0,0375 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. drying temperature         100 °C           Min. usage temperature³         -20 °C           Max. pH-value in Usage Concentration         10,5 pH	Patent Pending/Patent No.	· ·
Quantity Per Layer (Pallet)         1 Pcs.           Box Length         410 mm           Box Width         290 mm           Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Net Weight         0,4 kg           Weight bag         0,0063 kg           Weight cardboard         0,0312 kg           Tare total         0,0375 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature         100 °C           Max. drying temperature         100 °C           Min. usage temperature³         -20 °C           Max. pH-value in Usage Concentration         10,5 pH	Box Quantity	10 Pcs.
Box Length         410 mm           Box Width         290 mm           Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Net Weight bag         0,063 kg           Weight cardboard         0,0312 kg           Tare total         0,0375 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. drying temperature         100 °C           Min. usage temperature³         -20 °C           Max. pH-value in Usage Concentration         10,5 pH	Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Box Width         290 mm           Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Net Weight bag         0,0063 kg           Weight cardboard         0,0312 kg           Tare total         0,0375 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max. drying temperature         100 °C           Min. usage temperature³         -20 °C           Max. pH-value in Usage Concentration         10,5 pH	Quantity Per Layer (Pallet)	1 Pcs.
Box Height         200 mm           Length         400 mm           Width         50 mm           Height         95 mm           Net Weight         0,4 kg           Weight bag         0,0063 kg           Weight cardboard         0,0312 kg           Tare total         0,0375 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature         100 °C           Max. drying temperature         100 °C           Min. usage temperature³         -20 °C           Max. pH-value in Usage Concentration         10,5 pH	Box Length	410 mm
Length         400 mm           Width         50 mm           Height         95 mm           Net Weight         0,4 kg           Weight bag         0,0063 kg           Weight cardboard         0,0312 kg           Tare total         0,0375 kg           Gross Weight         0,44 kg           Cubik metre         0,0019 M3           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature         93 °C           Max. drying temperature         100 °C           Min. usage temperature³         -20 °C           Max. pH-value in Usage Concentration         10,5 pH	Box Width	290 mm
Width50 mmHeight95 mmNet Weight0,4 kgWeight bag0,0063 kgWeight cardboard0,0312 kgTare total0,0375 kgGross Weight0,44 kgCubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Box Height	200 mm
Height95 mmNet Weight0,4 kgWeight bag0,0063 kgWeight cardboard0,0312 kgTare total0,0375 kgGross Weight0,44 kgCubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature400 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Length	400 mm
Net Weight0,4 kgWeight bag0,0063 kgWeight cardboard0,0312 kgTare total0,0375 kgGross Weight0,44 kgCubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature100 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Width	50 mm
Weight bag0,0063 kgWeight cardboard0,0312 kgTare total0,0375 kgGross Weight0,44 kgCubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Height	95 mm
Weight cardboard0,0312 kgTare total0,0375 kgGross Weight0,44 kgCubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Net Weight	0,4 kg
Tare total0,0375 kgGross Weight0,44 kgCubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Weight bag	0,0063 kg
Gross Weight 0,44 kg  Cubik metre 0,0019 M3  Max usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 80 °C  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max. drying temperature 100 °C  Min. usage temperature 3 -20 °C  Max. pH-value in Usage Concentration 10,5 pH	Weight cardboard	0,0312 kg
Cubik metre0,0019 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Tare total	0,0375 kg
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Gross Weight	0,44 kg
Max usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Cubik metre	0,0019 M3
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  93 °C  Max. drying temperature  100 °C  Min. usage temperature³  -20 °C  Max. pH-value in Usage Concentration  10,5 pH	Max usage temperature (food contact)	80 °C
Max. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Max usage temperature (non food contact)	80 °C
Max. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature3-20 °CMax. pH-value in Usage Concentration10,5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Max. pH-value in Usage Concentration 10,5 pH	Max. drying temperature	100 °C
	Min. usage temperature³	-20 °C
Min. pH-value in usage concentration 2 pH	Max. pH-value in Usage Concentration	10,5 pH
	Min. pH-value in usage concentration	2 pH

Recycling Symbol "7", Miscellaneous Plastics	Yes
Gtin-13 Number	5705020317330
GTIN-14 Number (Box quantity)	15705020317337
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.

